

## SHORT-TERM IMPROVEMENTS TO PUBLIC REALM IN BATH

FoBRA represents associations in central and outer areas across the city of Bath. We have consistently supported the Council's long-term policies to improve the public realm (the streets and spaces between buildings). In addition to this, members have requested a range of short-term improvements to the existing public realm. We are asking B&NES Council to implement these.

| Subject | No | Request   | B&NES Ward           |
|---------|----|---|----------------------|
| Paving  | P1 | Specification for B&NES paving should be reviewed:  | General              |
|         |    | <ul> <li>Large 2 inch thick slabs are unduly prone to<br/>cracking. Is size and thickness right?</li> </ul>   |                      |
|         |    | Is there any spec for ground preparation?   |                      |
|         |    | Repairs should be made with same material as surrounding paving.  |                      |
|         | P2 | A Traffic Regulation Order should be made, banning parking on the pavement in Bath (say in the BID area initially).   | General              |
|         | P3 | Cracked paving should be repaired above Parade Gardens, from Grand Parade to North Parade   | Abbey                |
|         | P4 | Need a smoother, safer pavement on east side of Manvers Street.   | Abbey                |
|         | P5 | Paving slabs should be repaired/relaid on the north side of George Street, between Bartlett Street and Lansdown Road.   | Abbey                |
|         | P6 | Repair cracked/loose paving slabs on east side of Lansdown Road (31 between Ainslie's Belvedere and Guinea Lane, and 15 between Guinea Lane and George Street). | Abbey,<br>Lansdown   |
|         | P7 | Repair narrow pavement on east side of Marlborough Buildings, between Royal Crescent and Royal Avenue.  | Kingsmead            |
|         | P8 | Tarmac should be replaced by paving on east side of Bathwick Street, opposite Daniel Street.  | Walcot               |
|         | P9 | Replace blank areas of paving with grass or shrubs, eg at:  | Lyncombe<br>Widcombe |
|         |    | Junction of Wellsway and Old Wells Road;  |                      |
|         |    | Pedestrian route from Holloway to Dorchester<br>Street.   |                      |

|               | P10 | Gritting of pavements in winter should be taken more seriously (and/or handrails installed) especially at:             | Widcombe  |
|---------------|-----|--|-----------|
|               |     | <ul> <li>Rosemount Lane</li> <li>Steps from Lyncombe Vale to 10 Greenway<br/>Lane</li> </ul>                           | vvidcombe |
|               | "   | <u>'</u>   |           |
|               | L1  | Many of the new LED streetlights have an excessively 'white' colour. Could future installations use a 'warmer' colour? | General   |
| Lamp<br>posts | L2  | Vegetation should be kept from growing around lampposts.   | General   |
|               | L3  | Street trees should be trimmed so that they do not obscure street lights.  | General   |
|               | ı   | ,  |           |
| Sign<br>age   | S1  | Sign near the Abbey to direct pedestrians to Widcombe.   | Abbey     |
|               | S2  | Prominent sign near the station directing pedestrians through the western tunnel to "Widcombe: shops and restaurants". | Abbey     |
|               | S3  | There should be a wayfinding 'monolith' in Widcombe Parade, once the Rossiter Road changes are finalised.              | Widcombe  |
|               | S4  | Information about Widcombe should be published on the Bath App.  | Widcombe  |
|               | S5  | Monoliths need better maintenance: are they meant to go green gracefully, or stay bronze-coloured?                     | General   |
|               | T   |  |           |
|               | O1  | PRMS principles:   | General   |
|               |     | Removal of clutter   |           |
| Other         |     | Respect for traditional materials  |           |
|               |     | Reference to the Pattern Book when installing new elements   |           |
|               |     | Should be extended to all relevant areas of the city.  |           |
|               | O2  | Yellow parking lines should be narrow (50 mm width) in the Conservation Area.  | General   |
|               | О3  | Pedestrian crossings should be installed at:   | Abbey     |
|               |     | <ul><li>Guinea Lane, at junction with Lansdown Road,</li><li>Julian Road, at junction with Lansdown Road.</li></ul>    |           |
|               | O4  | Improve public realm on these popular pedestrian   | Abbey,    |

|    | routes:  • Halfpenny Bridge;  • Saw Close;  • Stirtingale Farm.  | Odd Down,<br>Widcombe   |
|----|--|-------------------------|
| O5 | Litter bins should be installed in the Two Tunnels.  | Combe Down,<br>Lyncombe |
| O6 | Footway should be better maintained and cleaned in Camden Road and Fairfield Park Road.                      | Lambridge,<br>Walcot    |
| 07 | Supply of rock salt in winter is needed at the pedestrian underpasses on Claverton Street and Rossiter Road. | Widcombe                |

Federation of Bath Residents' Associations June 2013